

A & H Models

NN13 7BW Brackley

Date printed 04.02.2026, Revision 03.02.2026

Version 1.0

Page 1 / 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Lenz Liquid**

IUPAC

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics

EINECS/ELINCS

920-901-0

1.2 Relevant identified uses of the substance or mixture and uses advised against**1.2.1 Relevant uses**

Steam generation in smoke generators for the model railway

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet**Company**

A & H Models
 95 High Street
 NN13 7BW Brackley / UNITED KINGDOM
 Phone 0044 1280 701410
 Homepage www.aandhmodels.co.uk

Address enquiries to**Technical information**

info@lenz-elektronik.de

Safety Data Sheet

sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number**Advisory body**

Call NHS 111 or a doctor

Company

+ 049 6403 900 10

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture [REGULATION (GB) CLP]**

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways.

2.2 Label elements**Hazard pictograms**

The product is required to be labelled in accordance with regulation CLP.

**Signal word**

DANGER

Contains:

Hydrocarbons, C11-C13, isoalkanes, <2% aromatics EINECS: 920-901-0

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P102 Keep out of reach of children.
 P260 Do not breathe vapours.
 P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor / ...
 P331 Do NOT induce vomiting.
 P302+P352 IF ON SKIN: Wash with plenty of water / soap.
 P501 Dispose of contents/container in accordance with local/national regulation.

Special labelling

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3 Other hazards**Human health dangers**

Contains no ingredients with endocrine-disrupting properties.

Environmental hazards

Does not contain any PBT or vPvB substances.

Other hazards

Further hazards were not determined with the current level of knowledge.

A & H Models

NN13 7BW Brackley

Date printed 04.02.2026, Revision 03.02.2026

Version 1.0

Page 2 / 10

SECTION 3: Composition / Information on ingredients**3.1 Substances**

The product is a substance.

Range [%]	Substance
100	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
	EINECS/ELINCS: 920-901-0, Reg-No.: 01-2119456810-40-XXXX
	GHS/CLP: Asp. Tox. 1: H304 - EUH066

Comment on component parts

For full text of H-statements: see SECTION 16.

3.2 Mixtures

not applicable

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information

Remove contaminated soaked clothing immediately and dispose of safely.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
In the event of symptoms seek medical treatment.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Rinse out mouth and give plenty of water to drink.
Beware of vomiting. Risk of aspiration.
Seek medical advice immediately.**4.2 Most important symptoms and effects, both acute and delayed**Headache
Nausea, vomiting.**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

SECTION 5: Fire-fighting measures**5.1 Extinguishing media**

Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products, carbon monoxide (CO), not combusted hydrocarbons

5.3 Advice for firefightersUse self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**Use personal protective equipment.
Ensure adequate ventilation.
Keep away from all sources of ignition.**6.2 Environmental precautions**

Do not discharge into the drains/surface waters/groundwater.

A & H Models

NN13 7BW Brackley

Date printed 04.02.2026, Revision 03.02.2026

Version 1.0

Page 3 / 10

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 7+8+13

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Avoid contact with eyes and skin. Use personal protective equipment.
Keep away from sources of ignition - refrain from smoking.
Do not eat, drink or smoke when using this product.
Wash hands before breaks and after work.
Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Provide solvent-resistant and impermeable floor.
Do not store together with food and animal food/diet.
Protect from heat/overheating and from sun.
Recommended storage temperature: 5-25 °C (41-77 °F).

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection**8.1 Control parameters****Ingredients with occupational exposure limits to be monitored (UK)**

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
EINECS/ELINCS: 920-901-0, Reg-No.: 01-2119456810-40-XXXX
Long-term exposure: 100 ppm, 525 mg/m ³ , OSHA

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
There are no DNEL values established for the substance.

PNEC

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
There are no PNEC values established for the substance.

A & H Models

NN13 7BW Brackley

Date printed 04.02.2026, Revision 03.02.2026

Version 1.0

Page 4 / 10

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,7 mm; Butyl rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Solvent-resistant protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not inhale gases/vapours/aerosols.
Respiratory protection	Respiratory protection mask in the event of high concentrations. Short term: filter apparatus, filter A. (DIN EN 14387)
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	clear
Odor	characteristic
Odour threshold	not determined
pH-value	not determined
pH-value [1%]	not determined
Boiling point or initial boiling point and boiling range [°C]	189 - 206
Flash point [°C]	67
Flammability	no
Lower explosion limit	0,6 Vol%
Upper explosion limit	6 Vol%
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	0,04
Density [g/cm³]	0,76 (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water [g/L]	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	log Pow: 1,99 – ≤7,22
Kinematic viscosity	1,77 mm ² /s (20 °C)
Relative vapour density	< 1
Melting point [°C]	< - 114
Auto-ignition temperature [°C]	> 201
Decomposition temperature [°C]	not determined
Particle characteristics	not applicable

9.2 Other information

Temperature class (ATEX): T3

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Forms explosive mixtures with air on intense heating.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Reactions with strong oxidizing agents, strong acids and alkalis.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
LD50, oral, Rat, > 5000 mg/kg, OECD 401

Acute dermal toxicity

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
LD50, dermal, Rabbit, > 5000 mg/kg, OECD 402

Acute inhalational toxicity

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
LC50, inhalativ (mist), Rat, > 5600 mg/m ³ /4h, OECD 403
LC50, inhalation (vapour), Rat, > 4951 mg/m ³ /4h, OECD 403, no adverse effect observed

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Rabbit, in vivo, OECD 405, non-irritating

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Rabbit, in vivo, OECD 404, non-irritating

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
inhalative, non-sensitizing
dermal, Guinea pig, OECD 406, non-sensitizing

Specific target organ toxicity — single exposure

Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
no adverse effect observed

Specific target organ toxicity — repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
NOAEL, oral, Rat, 1000 mg/kg bw/day, no adverse effect observed
NOAEC, inhalative, Rat, 10.4 mg/L, no adverse effect observed

MutagenicityBased on the available information, the classification criteria are not fulfilled.
Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
in vitro, negative
in vivo, negative

A & H Models

NN13 7BW Brackley

Date printed 04.02.2026, Revision 03.02.2026

Version 1.0

Page 7 / 10

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.**- Fertility** No information available.**- Development**

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
OECD 414, no adverse effect observed (by analogy with similar substances)

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
OECD 453, no adverse effect observed

Aspiration hazard May be fatal if swallowed and enters airways.
Based on the available information, the classification criteria are fulfilled.
On basis of test data**General remarks**

Toxicological data of complete product are not available.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties** Contains no ingredients with endocrine-disrupting properties.**11.2.2 Other information** none**SECTION 12: Ecological information****12.1 Toxicity**

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
EL0, (48h), Daphnia magna, 1000 mg/L
EL0, (72h), Pseudokirchneriella subcapitata, 1000 mg/L
NOELR, (72h), Pseudokirchneriella subcapitata, 1000 mg/L
NOELR, (21d), Daphnia magna, 1 mg/L
LL0, (96h), Oncorhynchus mykiss, 1000 mg/L

12.2 Persistence and degradability**Behaviour in environment compartments** No information available.**Behaviour in sewage plant** No information available.**Biological degradability** The product is partially biodegradable.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
(28d), 31,3 %, Inherently biologically degradable

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Koc, 51,29 - 354 813,39
log Koc, 1,71 - 5,95

A & H Models

NN13 7BW Brackley

Date printed 04.02.2026, Revision 03.02.2026

Version 1.0

Page 8 / 10

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Dispose of as hazardous waste.

Waste no. (recommended)

070104*

Contaminated packaging

Contaminated packing should be disposed of as product waste.

Waste no. (recommended)

150110* packaging containing residues of or contaminated by hazardous substances

SECTION 14: Transport information**14.1 UN number or ID number**

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

A & H Models

NN13 7BW Brackley

Date printed 04.02.2026, Revision 03.02.2026

Version 1.0

Page 9 / 10

14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are restricted.
TRANSPORT-REGULATIONS	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2026, 67th Edition)
NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
- VOC (2010/75/CE)	90 %

A & H Models

NN13 7BW Brackley

Date printed 04.02.2026, Revision 03.02.2026

Version 1.0

Page 10 / 10

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

EUH066 Repeated exposure may cause skin dryness or cracking.

H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV@/TWA = Threshold limit value – time-weighted average

TLV@STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (Calculation method)

Modified position

none

Copyright: Chemiebüro®